

037A - Glue stick

MATERIAL SAFETY DATA SHEET

FACTURER OR DISTRIBUTOR: Charles Leonard, Inc.
79-11 Cooper Avenue

Glendale NY 11385

FORMATION TELEPHONE NUMBER: 718-894-4851

ERGENCY TELEPHONE NUMBER: 718-894-4851

SECTION I - PRODUCT IDENTIFICATION

RODUCT NAME: CHARLES LEONARD GLUE STICK PRODUCT NO. GLUE STICK

RODUCT SIZES: 8, 21, & 36 GRAMS

RODUCT CLASS: GLUE

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENT	CAS#	PEL/TLV (MG/M3)	MAX %WEIGHT	NTP	IARC
None					

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

ILING POINT: N/A

MELTING POINT: N/A

POR PRESSURE: N/A

ECIFIC VAPOR DENSITY (AIR=1): N/A

SPECIFIC GRAVITY: N/A

UBILITY IN WATER: N/A

REACTIVITY IN WATER: NON-REACTIVE

PEARANCE AND ODOR:

SECTION IV - FIRE AND EXPLOSION INFORMATION

ASH POINT (METHOD): N/A

AUTOIGNITION TEMPERATURE: N/A

XPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

TINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED

RE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED

USUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION V - PHYSICAL HAZARDS/REACTIVITY

AZARDOUS POLYMERIZATION PRODUCTS: NONE

ABILITY: STABLE CONDITIONS TO AVOID: NONE

OMPATIBILITY (MATERIALS TO AVOID): NONE

AZARDOUS DECOMPOSITION PRODUCTS: NONE

Post-It[™] brand fax transmittal memo 7671 # of pages *2*

To <i>Billie</i>	From <i>Richard Bateman</i>
Ca. <i>C.L.S.O.</i>	Co. <i>Rep-O-Rama</i>
Dept.	Phone #
Fax # <i>830-774-9862</i>	Fax #

MEANY: Charles Leonard, Inc. PRODUCT: GLUE STICK
NAME: CHARLES LEONARD GLUE STICK

----- SECTION VI - HEALTH HAZARD DATA -----

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION II FOR COMPONENT PEL/TLVs

PRIMARY ROUTES OF ENTRY: EYE, SKIN, INGESTION

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

MUTAGENICITY LISTING: NTP: NO IARC: NO OSHA: NO
SEE SECTION II FOR COMPONENTS AFFECTED

ADDITIONAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

----- SECTION VII - SPILL OR LEAK PROCEDURES -----

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: NO SPECIAL
PRECAUTIONS REQUIRED.

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: NO SPECIAL SPILL
PROCEDURES REQUIRED.

DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND
CALIFORNIA REGULATIONS.

----- SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES -----

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED

WORK/HYGIENE PRACTICES: THIS INFORMATION SHEET IS FOR THE CONSUMER USE
OF THIS PRODUCT ONLY.

Form Completed by: Woodhall Stopford, MD, MSPH
Date Updated: 04/03/98