

STAPLES CONTRACT & COMMERCIAL, INC.

500 Staples Drive

Framingham, MA 01702

1-888-322-0912

24-HR MEDICAL AND DOT EMERGENCIES: 1-888-322-0912

MSDS #: MSDS SBG0730

Hazard Rating

HMIS

NFPA

Health

2

2

Flammability

0

0

Reactivity

0

0

Special

None

None

MATERIAL SAFETY DATA SHEET

Complies with ANSI Z400.1 Format

SECTION 1: PRODUCT IDENTIFICATION

Product: QUICK MIX® 7 POWER CLEAN™

MSDS CODE: SBG0730.0111

This MSDS applies to Manufacturer Item Number: 18546

GENERIC DESCRIPTION

DATE ISSUED

SUPERSEDES

PREPARED BY

Cleaner-Degreaser

01-20-11

03-22-10

Regulatory Specialist

SECTION 2: HAZARDS IDENTIFICATION

Primary Entry Routes: Skin, eyes, ingestion and inhalation. **Signs & Symptoms of Exposure:** Direct contact of product with eyes or skin may cause moderate to severe irritation. Prolonged or repeated contact of product with skin or eyes may cause redness and burns. Prolonged breathing of vapors may cause irritation of nose and throat. If swallowed, product may cause irritation of mouth, throat or stomach. **Effects of Overexposure:** Can cause eye damage. May cause irritation and irritating effects to nose, throat and respiratory tract. May be harmful if swallowed.

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

Components	% by Wt.	CAS #	Exposure Limits
Nonionic surfactant	10-15	68439-46-3	None established
Ethanolamine	5-10	141-43-5	3ppm (PEL & TLV/TWA)
Glycol ether PnP	5-10	1569-01-3	None established
Glycol ether DPnB	1-5	29911-28-2	None established
Tetrasodium ethylenediamine-tetraacetate	<1	64-02-8	None established

Balance is water and similar non-hazardous ingredients.

SECTION 4: FIRST AID MEASURES

Emergency First Aid Procedures:

Eyes: Immediately flush eyes with running water for at least 15 minutes while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

Skin: Flush immediately with plenty of water for at least 15 minutes. If reddening occurs and persists, seek prompt medical attention or advice.

Ingestion: If swallowed, immediately give 3-4 glasses of water. Do not induce vomiting. If vomiting occurs, give fluids again. Seek immediate medical attention. Have physician determine if patient's condition allows for induction of vomiting or evacuation of the stomach. Do not give anything by mouth to a convulsing or unconscious person.

Inhalation: Remove from area to fresh air. If not breathing, clear airway and start artificial respiration. If victim is having trouble breathing, give supplemental oxygen, if available. Seek immediate medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point: None

Flammable Limits: Not known.

Extinguishing Media: Use standard fire fighting

measures to extinguish fires involving this material (water spray, dry chemicals, CO₂ or foam).

Special Fire Fighting Procedures: Appropriate personal protective equipment.

Unusual Fire and Explosion Hazards: Not known. Use water spray to cool nearby containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Release or Spill: Recover liquid with wet mop or wet/dry vacuum. Rinse area with water and flush residue to sanitary sewer. Keep spill out of storm sewers and waterways. Use care, floor may become slippery. Wear appropriate protective gear to avoid eye contact. Follow good industrial hygiene practices. Wash thoroughly after cleanup.

SECTION 7: HANDLING AND STORAGE

Avoid contact with skin and eyes. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Keep containers closed until used. Store in original containers in areas inaccessible to children. Do not store on side. Avoid creasing or impacting of side walls.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Use with adequate ventilation.

Respiratory Protection: No special requirements for normal use conditions.

Protective Gloves: No special requirements for normal use conditions. However, it is a good safe practice to wear chemical resistant gloves to prevent skin contact when using any chemical product.

Eye Protection: No special requirements for normal use conditions. However, it is a good safe practice to wear eye protection when using any chemical product.

Other Protective Measures: Use good personal hygiene practices. Launder contaminated clothing/equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor: Clear, purple liquid/Grape **Boiling Point:** >212°F **Evap. Rate:** Not known.
pH (Conc.): 11.0 **pH (Diluted 1:128):** 11.0 **Vapor Density:** Not known. **Vapor Pressure:** Not known.
Specific Gravity: 1.01 **Solubility in Water:** Soluble **V.O.C. Content (by weight, conc.):** <15% (<150g/L)

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable **Conditions to Avoid:** None known. **Incompatibility:** None known.
Hazardous Decomposition Products: None known. **Hazardous Polymerization:** Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Not established.

SECTION 12: ECOLOGICAL INFORMATION

Not established.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Information: Discarded product is not hazardous waste according to RCRA, 40 CFR 261. Dispose of in compliance with all Federal, state and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

DOT EMERGENCY 24-HR: 1-888-322-0912 **U.S. DOT Hazard Class:** 8 **Packing Group:** III
PROPER SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (contains ethanolamine), UN3267
DOT LABEL (1.3 gallon or less): Consumer Commodity, ORM-D

SECTION 15: REGULATORY INFORMATION

There are no components in this product currently reportable or listed as carcinogens by NTP, IARC or OSHA; on CERCLA (Comprehensive Environmental Response, Compensation and Liability Act of 1980); on SARA Title III, Sections 302/304; on SARA Title III, Section 313; on MASSACHUSETTS Right-to-Know; on MICHIGAN Critical Materials; or on NEW JERSEY Right-to-Know. All components of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Title III Sections 311/312:

Chemical Name	CAS#	*Hazard Categories
Ethanolamine	141-43-5	A
Glycol ether DPnB	29911-28-2	A
Glycol ether PnP	1569-01-3	A, C, F
Tetrasodium ethylenediamine-tetraacetate	64-02-8	A, C

*The five hazard categories are as follows: F=FIRE HAZARD; S=SUDDEN RELEASE OF PRESSURE; R=REACTIVE; A=IMMEDIATE (ACUTE) HEALTH HAZARD; C=DELAYED (CHRONIC) HEALTH HAZARD

CALIFORNIA Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

Warning: This product contains a chemical known to the State of California to cause cancer:

Chemical Name	CAS#	Typical Maximum Concentration
Formaldehyde	50-00-0	20 ppm

PENNSYLVANIA Right-to-Know – The following components of this material are included in the Pennsylvania Hazardous Substance List and are present at or above reportable levels:

Chemical Name	CAS#	Typical Maximum Concentration
Ethanolamine	141-43-5	8.0%

SECTION 16: OTHER INFORMATION

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at www.staples.com. Keep MSD Sheets filed and organized in an area accessible to workers according to the OSHA Hazard Communication Standard.

This MSDS was prepared for the sole purpose of compliance with the Occupational Safety and Health Administration's Hazard Communication Standard and that is its only intended use. All information contained in this Material Safety Data Sheet is provided to the best of Staples Contract & Commercial, Inc's knowledge. No warranty is made with respect to this information, expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the MSDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this MSDS.